ACCUMULATION OF HEAVY METALS IN SUNFLOWER SEEDLINGS UNDER THE INFLUENCE OF CADMIUM STRESS

Fu Yuanzhi

PhD Student Sumy National Agrarian University, Sumy, Ukraine Henan Institute of Science and Technology, Xinxiang, China lilac1210@126.com

Trotsenko Volodymyr

Doctor (Agricultural Sciences), Professor Sumy National Agrarian University, Sumy, Ukraine ORCID: 0000-0001-8101-084 vtrosenko@ukr.net

Steady trend of recent decades is the rapid growth of soil pollution by heavy metals. Metals that do not play a significant role in plant life are particularly dangerous, but they can accumulate in plants and migrate along the food chain. Cadmium is one of such elements, its half-life from the human body is more than 50 years. For breeding programs aimed at creating varieties with low levels of cadmium accumulation, it is important to understand the role of genotype in the processes of metal intake to different parts of plants. An experiment was carried out to study the growth and absorption of trace metallic elements (TMEs) in Sunflower (Helianthus annuus L.) seedlings under Cd stress. The research was done on selection samples of sunflower selected by the method of vegetation evaluation in Sumy NAU in 2018. According to the evaluation results, line 62\3 was characterized by low, and line JB231AC - high level of resistance to cadmium accumulation. In 2020, the seeds of the samples were reseeded at the Henan Institute of Science and Technology. Sunflower seedlings (20-day-old) grown in plastic containers with Hogland's solution were investigated. From uniformly and well-developed plants were formed 4 samples which were for 7 days in a solution of CdCl, * 2.5 H,0 with a concentration of 0; 25; 50 and 100 µM. Ashing of the samples was performed in nitric acid. Determination of metal content was performed on an atomic adsorption spectrophotometer. In all samples there was a steady trend to decrease plant height and total seedling weight with increasing cadmium concentration. In the case of dried parts of plants, statistically significant, leveling the difference between the samples, the effect of cadmium was detected at a concentration of 50 µm or more for the dry matter of roots and at a concentration of 100 µm for the mass of the aboveground part. It was found that the threshold concentration that provided a significant difference between the cadmium content in the roots and stems was 100 μm. Compared to sample JB231AC, sample 64\2 had a higher cadmium content in the roots by 23 % and 12 % in the aboveground part. With respect to Li, Ni, and Sr, a significant difference between the samples was mostly observed at a concentration of 25 and 50 μM. The accumulation concentration of lithium (Li) and nickel (Ni) in high Cd variety 62\3 was lower than that in low Cd variety JB231AC. The Li and strontium (Sr) concentration in the root were similar to that in the aboveground part under Cd stress, while Ni accumulated in root of JB231AC in slightly higher concentrations than that in aboveground part. The presence of an inverse relationship between the concentration of cadmium and the concentrations of lithium and nickel may indicate both the genotypic features of their transport and the presence of antagonism between the accumulation of these metals. However, this statement requires further research.

Key words: sunflower, seedlings, Cd concentration, heavy metals, trace metallic elements, accumulation, growth. DOI https://doi.org/10.32845/agrobio.2021.3.8

Introduction. In recent years, with the rapid development of mining, industrial and agricultural production in the world, heavy metal soil pollution has become increasingly serious problem as a result of human activities, such as industrial wastewater, waste gas discharge, sewage irrigation and the abuse of chemical fertilizers and pesticides (Bashir et al., 2021; Singh & Prasad, 2014; Yan et al., 2021). Heavy metal cadmium (Cd) is a non-essential element for plants and animals, which inhibits the growth and development of plants (Li et al., 2019; Maria Celeste et al., 2013). Cd in plants interferes with normal metabolism, affecting photosynthesis and respiration, reducing root activity,

slowing seedling growth, making leaves small and yellow, and eventually leading to plant death (Ahmad et al., 2015; Fan et al., 2011; Khadija et al., 2018). Consumption of Cd-contaminated plant material is one of the main sources of Cd intake for people, posing a threat to human health, even at low concentrations (Jaouani et al., 2018; Reyes-Hinojosa et al., 2019; Templeton and Liu, 2010). Cd repair and accumulation have been studied in many plant species, such as soybean (Li et al., 2012), wheat (Chen et al., 2017), barley (Chen et al., 2010), rice (Prerna et al., 2020), maize (Dakak & Hassan, 2020), rapeseed (Wu et al., 2015) and millet (Han et al., 2018), etc.

Sunflower (*Helianthus annuus* L.) is among the world's most important oilseed crops. As sunflower oil is one of the healthiest vegetable ones available for cooking, there is increasing demand due to a health-conscious diet (Bán et al., 2021). Studies have shown that sunflower has a high enrichment capacity to accumulate for heavy metals (Cornu et al., 2020; Zhou et al., 2020).

Trace metallic elements (TMEs) are indispensable elements in nature, which are lost to land through mining and production (Robert and Stengel, 1999). Compared to other pollutants, TMEs are non-biodegradable. Certain heavy metals are necessary or even essential for living beings, and this at reasonable concentrations in certain environmental matrices. On the other hand, at a high threshold, they (Cd, Pd, Hg) exhibit more or less strong toxicity which harms most living organisms (Aristide et al., 2021). At present, some TMEs, such as Cd (Cornu et al., 2016; Silveira et al., 2021), As (Wang et al., 2020), Hg, Cu (Mahardika et al., 2018) and Pb (Alaboudi et al., 2018) have been studied in some crops, however there are little researches about TMEs in sunflower. Issam et al. (2015) studied the role of selenium (Se) in regulating oxidative stress of sunflower seed roots induced by Cd, and the results strongly suggested that exogenous selenium may improve the tolerance of plants to oxidative stress induced by Cd. Shoot nutrients uptake of plants decreased as nickel (Ni) levels increased, and high level of Ni decreased root colonization in sunflower (Jarrah et al., 2019). Studies have shown that lithium (Li) and strontium (Sr) can be absorbed by body and affect human health (Zaichick&Zaichick,2014; Zaichick et al., 2009), but little researches have been done about Li or Sr in crops.

In this paper, the Cd gradient experiment was carried out on high and low Cd accumulation sunflower sample varieties. The growth characteristics of the two varieties under Cd stress at seedling stage and the accumulation of TMEs Li, Ni and Sr in the two sunflower samples under Cd stress were studied. This paper provides a theoretical basis for the safe production of sunflower on metal contaminated soil.

Materials and methods. Material treatment and acquisition. Two genotypes accessions of sunflower 62\3 (high Cd accumulation) and JB231AC (low Cd accumulation), which were identified with different Cd accumulation capability in our previous study, were carried out in this study. The two varieties were obtained from Sumy National Agrarian University (Sumy, Ukraine) where they were reproducted in October 2020.

The healthy seeds of each accession were sterilized by 15 % $\rm H_2O_2$ for half an hour, and rinsed by distilled water for at least three times, and soaked in deionized water at room temperature for four hours, then sown in germinated box (32 cm × 25.5 cm × 11 cm) containing vermiculite and moistened with deionized water. Seeds were incubated in the culture room with 16 h light (28°C, 5000 Lux) and 8 h dark (25°C) photoperiod for 6 days. Following germination, seedlings were transferred to plastic pots filled with 10 L of 1/4 strength modified Hoagland nutrient solutions for 7 days, then was increased to 1/2 strength for 7 days. After 20 days of Cd-free growth, seedlings with uniformed sizes were randomly assigned to four different Cd treatments:

0, 25, 50 and 100 μ M CdCl $_2$ • 2.5H $_2$ O for 7 days. Finally, the seedling were harvested, one part was used to measure morphological indexes and Cd content, and the other part was quickly isolated and frozen in liquid nitrogen and stored at – 80 °C and was used to measure physiological indicators and transcriptome analysis. The 1/2 strength nutrient solution containing 2.5 mmol/L Ca(NO $_3$) $_2$, 1mmol/L MgSO $_4$, 0.5 mmol/L NH $_4$ H $_2$ PO $_4$, 2.5 μ mol/L KCL, 2mmol/L NaCl, 0.2 μ mol/L CuSO $_4$, 1 μ mol/L ZnSO $_4$, 0.1mmol/L EDTA-FeNa, 0.02 mmol/LH $_3$ BO $_3$, 5 nmol/L (NH $_4$) $_6$ Mo $_7$ O $_2$ 4 and 1 μ mol/L MnSO $_4$. All the treatments were replicated three times.

Identification of growth index and Cd content. For showing and evaluating of Cd treatment results, the plants were photographed by a digital camera, plant height and fresh weight were measured. The root and aboveground parts of seedlings were oven-dried at 80°C until constant weight and then weighed for dry weight.

For measuring content of Cd and the TMEs, the root of seedlings were rinsed with deionized water for at least three times to remove surface ions, and then, root and aboveground parts were harvested separately. The samples were dried at 105° C for 30 min, and then at 80° C in an oven until they were completely dried, then the dry sample were ground to powders. Dry powder of each sample was digested in 5 ml HNO $_{3}$ overnight (at least for three 3 h) at room temperature, then adding 2 ml H $_{2}$ O $_{2}$ and continued digesting for approximately 3 h at 180° C. (Marguí et al., 2009) The digested solution volumetized to 25 mL, and then investigated by an atomic absorption spectrophotometer (ICP-OES, Optima 2100DV, Perkin Elmer).

Statistical analysis. All data were statistically analyzed using GraphPad Prism 8. Analysis of variance was performed on data sets, with the mean and SD of each treatment calculated. Multiple comparisons with Bonferroni t-test were mainly used to compare the mean values between treatments (p < 0.05).

Results. 1. Growth of two sunflower varieties under Cd stress. In this experiment, the seedling height, fresh weight, aboveground and root dry weight of the two sunflower varieties decreased with the increase of Cd concentration, and the high Cd variety 62\3 grew weaker than the low Cd variety JB231AC under Cd stress (Fig. 1 A–B), and growth indexes of variety 62\3 were lower than variety JB231AC (Fig. 1 C–F).

Among them, the seedling height and fresh weight decreased with the increase of Cd concentration, but the change was not significant. The root dry weights of variety 62\3 and JB231AC were significantly difference when Cd concentration was $25\mu M$, and the aboveground dry weight was significantly difference when Cd concentration was $25\mu M$ and $50\mu M$.

3. Accumulation of trace metallic elements in two sunflower varieties under Cd stress. Fig. 2 (A–B) verifies that variety 62\3 is a high Cd variety and JB231AC is a low Cd variety, and the Cd concentration in the root is higher than that in the aboveground part. With the increase of Cd concentration, the Cd accumulation in root and aboveground part of the two cultivars increased, and higher Cd concentrations were accumulated in variety 62\3 under




Fig. 1. Growth performance of variety 62\3 and JB231AC seedling.

A–B, Growth status under Cd conditions for 7 days. C-F, growth indices of the seedling. For C–F the statistical analyses were conducted using all the data of the two varieties under Cd conditions. Data presented are the means (n = 3), and error bars denote the standard deviations. The asterisk represents the significant difference between two varieties. *: P value < 0.05, **: P < 0.01

different Cd gradients. When the Cd concentration was 100 μ M, the Cd accumulation in root and aboveground part of variety 62\3 showed extremely significant differences.

The Li concentration in the root and aboveground part of the two varieties was approximately the same under Cd stress, and the high Cd variety 62\3 accumulated less Li than the low Cd variety JB231AC (Fig. 2 C–D). In root, Li accumulation was significantly differences when the Cd concentration was 50 μM and 100 μM . With the increase of Cd concentration, the Li concentration in root increased, the change in the aboveground part was not regular, and there might be experimental error.

The Ni accumulation in sunflower increased firstly and then decreased with the increase of Cd concentration, and the maximum value appeared at 50 μM in the root and 25 μM in the aboveground part (Fig. 2, E–F). The Li concentration in root was higher than that in aboveground part. The Ni concentration in the high CD variety 62\3 was lower than that in the low Cd variety JB231AC, and there was a very significant difference in the Cd concentration at 25 μM and 50 μM in the root and aboveground part, respectively.

With the increase of Cd concentration, the Sr accumulation in root of the two sunflower varieties varied, but remained basically flat, which may be caused by experimental error,




Fig. 2. Accumulation of trace metallic elements in the root and aboveground part of variety 62\3 and JB231AC seedling.

A–B, Cd accumulation. C–D, Li accumulation. E–F, Ni accumulation. G–H, Sr accumulation. For A–H the statistical analyses were conducted using all the data of the two varieties under Cd conditions. Data presented are the means (n = 3), and error bars denote the standard deviations. The asterisk represents the significant difference between two varieties *: P value < 0.05, **: P < 0.01,***: P < 0.001,****: P < 0.0001

and basically showed a downward trend in aboveground part (Fig. 2G–H). Sr accumulates in roughly equal concentration in root and aboveground part. In aboveground part, the high Cd variety 62\3 accumulated relatively higher Sr concentration than the low Cd variety JB231AC.

Discussion. In hydroponics under controlled conditions, Cd stress (5 µM Cd for 14 days) induced strong phytotoxic effects, as indicated by a decrease in all growth parameters (Hawrylak-Nowak et al., 2015). At Cd concentration of 50 μM the seedling growth of sunflowers was affected significantly in a short period (< 7 days) in the experiment, and the growth indexes such as plant height, dry and fresh weight decreased obviously. Cd accumulation of both varieties was more in roots than in aboveground parts. Cd accumulation in sunflower was different in different genotypes. Varieties 62\3 with high Cd accumulation might accumulate more Cd, causing greater toxicity to themselves, so their plant height, dry and fresh weight were lower than varieties JB231AC with low Cd accumulation under different Cd gradient. The accumulation characteristics of different TMEs in the two sunflower species under Cd stress were different, and the accumulation of TMEs in the root and aboveground part of the same variety might be different. The accumulation concentration of Li and Ni in high Cd variety 62\3 was low, so it is speculated whether they have antagonistic effect with Cd absorption. Accumulation was more in roots than shoots for most of the heavy metals (Belhaj et al., 2016). In the paper, the Li and Sr concentration in the root were similar to that in the aboveground part under Cd stress, while Ni accumulated in root of JB231AC in slightly higher concentrations than that in aboveground part.

Conclusions. The accumulation and distribution of cadmium in plants have a great relationship with species, varieties, parts and growing environment, and eventually lead to different accumulation and distribution in different parts of plants. An inverse relationship between cadmium concentration and lithium and nickel concentrations has been established, which may be due to genotypic features, but the presence of antagonism between the accumulation of these metals is not excluded. In general, studies have confirmed the sufficient level of efficiency of vegetative evaluation of sunflower initial material for resistance to cadmium accumulation and stability of this trait in subsequent generations.

References:

- 1. Ahmad, P., Sarwat, M., Bhat, N. A., Wani, M. R., Kazi, A. G., & Tran, L. S. (2015). Alleviation of cadmium toxicity in Brassica juncea L. (Czern. & Coss.) by calcium application involves various physiological and biochemical strategies. PLoS One, 28,10(1), e0114571.
- 2. Alaboudi, K. A., Ahmed, B., & Brodie, G. (2018). Phytoremediation of Pb and Cd contaminated soils by using sunflower (*Helianthus annuus*) plant. Annals of Agricultural Sciences, 63(1),123–127.
- 3. Aristide, Y. Y. H., Valery, A. D. P., Chantal, K. A. L., Brou, D., & Kouame, D. B. (2021). Assessment of the Health Risks Associated with the Ingestion of Heavy Metals (As, Cd, Cr, Pb, Ni, Zn, Hg) in Vegetable Crops in the City of Daloa (Ivory Coast). American Journal of Applied Chemistry, 9(4).
- 4. Bán, R., Kovács, A., Nisha, N., Pálinkás, Z., Zalai, M., Yousif, A. I. A., & Körösi, K. (2021). New and High Virulent Pathotypes of Sunflower Downy Mildew (Plasmopara halstedii) in Seven Countries in Europe. J Fungi (Basel), 7(7), 549–549. doi: 10.3390/jof7070549
- 5. Bashir, S., Qayyum, M. A., Husain, A., Bakhsh, A., Ahmed, N., Hussain, M. B., Elshikh, M. S., Alwahibi, M. S., Almunqedhi, B. M. A., Hussain, R., Wang, Y. F., Zhou, Y., & Diao, Z. H. (2021). Efficiency of different types of biochars to mitigate Cd stress and growth of sunflower (*Helianthus L.*) in wastewater irrigated agricultural soil. Saudi J Biol Sci, 28, 2453–2459.
- 6. Belhaj, D., Elloumi, N., Jerbi, B., Zouari, M., Abdallah, F. B., Ayadi, H., & Kallel, M. (2016). Effects of sewage sludge fertilizer on heavy metal accumulation and consequent responses of sunflower (*Helianthus annuus*). Environ Sci Pollut Res Int, 23, 20168–20177. doi: 10.1007/s11356-016-7193-0
- 7. Chen, F., Wang, F., Wu, F., Mao, W., Zhang, G., & Zhou, M. (2010). Modulation of exogenous glutathione in antioxidant defense system against Cd stress in the two barley genotypes differing in Cd tolerance. Plant Physiol Biochem, 48, 663–672. doi: 10.1016/j.plaphy.2010.05.001
- 8. Chen, Y. P., Chen, D., & Liu, Q. (2017). Exposure to a magnetic field or laser radiation ameliorates effects of Pb and Cd on physiology and growth of young wheat seedlings. J Photochem Photobiol B 169, 171-177. https://doi.org/10.1016/j.jphotobiol.2017.03.012.
- 9. Cornu, J. Y., Bakoto, R., Bonnard, O., Bussière, S., Coriou, C., Sirguey, C., Sterckeman, T., Thunot, S., Visse, M. I., & Nguyen, C. (2016). Cadmium uptake and partitioning during the vegetative growth of sunflower exposed to low Cd concentrations in hydroponics. Plant and Soil, 404(1–2), 263–275. Doi: 10.1007/s11104-016-2839-8
- 10. Cornu, J. Y., Bussière, S., Coriou, C., Robert, T., Maucourt, M., Deborde, C., Moing, A., & Nguyen, C. (2020). Changes in plant growth, Cd partitioning and xylem sap composition in two sunflower cultivars exposed to low Cd concentrations in hydroponics. Ecotoxicol Environ Saf, 205, 111145. doi: 10.1016/j.ecoenv.2020.111145
- 11. Dakak, R. A. E., & Hassan, I. A. (2020). The Alleviative Effects of Salicylic Acid on Physiological Indices and Defense Mechanisms of Maize (Zea Mays L. Giza 2) Stressed with Cadmium. Environmental Processes: An International Journal, 7. (3),873–884. doi: 10.1007/s40710-020-00448-1
- 12. Fan, J. L., Wei, X. Z., Wan, L. C., Zhang, L. Y., Zhao, X. Q., Liu, W. Z., Hao, H. Q., & Zhang, H. Y. (2011). Disarrangement of actin filaments and Ca² gradient by CdCl alters cell wall construction in Arabidopsis thaliana root hairs by inhibiting vesicular trafficking. J Plant Physiol, 168, 1157–1167. doi: 10.1016/j.jplph.2011.01.031
- 13. Han, Y., Wu, M., Hao, L., & Yi, H. (2018). Sulfur dioxide derivatives alleviate cadmium toxicity by enhancing antioxidant defence and reducing Cd(2+) uptake and translocation in foxtail millet seedlings. Ecotoxicol Environ Saf, 157, 207–215. doi: 10.1016/j.ecoenv.2018.03.084

- 14. Hawrylak-Nowak, B., Dresler, S., & Matraszek, R. (2015). Exogenous malic and acetic acids reduce cadmium phytotoxicity and enhance cadmium accumulation in roots of sunflower plants. Plant Physiol Biochem, 94, 225–234. doi: 10.1016/j.plaphy.2015.06.012
- 15. Issam, S., Wahbi, D., & Yacine, C. (2015). Selenium Treatment Alleviated Oxidative Alteration Generated by Cadmium in Sunflower Roots. British Biotechnology Journal, 5(4). doi: 10.9734/BBJ/2015/14802
- 16. Jaouani, K., Karmous, I., Ostrowski, M., Ferjani, E. E., Jakubowska, A., & Chaoui, A. (2018). Cadmium effects on embryo growth of pea seeds during germination: Investigation of the mechanisms of interference of the heavy metal with protein mobilization-related factors. J Plant Physiol, 226, 64–76. doi: 10.1016/j.jplph.2018.02.009
- 17. Jarrah, M., Ghasemi-fasaei, R., Ronaghi, A., Zarei, M., & Mayel, S. (2019). Enhanced Ni phytoextraction by effectiveness of chemical and biological amendments in sunflower plant grown in Ni-polluted soils. Chemistry and Ecology, 35(8),732–745.
- 18. Khadija, J., Inès, K., Maciej, O., Ezzedine El, F., Anna, J., & Abdelilah, C. (2018). Cadmium effects on embryo growth of pea seeds during germination: Investigation of the mechanisms of interference of the heavy metal with protein mobilization-related factors. Journal of Plant Physiology, 226, 64–76. doi: 10.1080/02757540.2019.1644325
- 19. Li, Q., Wang, G., Wang, Y., Dan, Y., Guan, C., & Ji, J. (2019). Foliar application of salicylic acid alleviate the cadmium toxicity by modulation the reactive oxygen species in potato. Ecotoxicol Environ Saf, 172, 317–325. doi: 10.1016/j. ecoenv.2019.01.078.
- 20. Li, X., Zhang, L., Li, Y., Ma, L., Ning, B., & Ma, C. (2012). Changes in photosynthesis, antioxidant enzymes and lipid peroxidation in soybean seedlings exposed to UV-B radiation and/or Cd. Plant and Soil, 352, 377–387. doi: 10.1007/s11104-011-1003-8
- 21. Mahardika, G., Rinanti, A., & Fachrul, M. F. (2018). Phytoremediation of heavy metal copper (Cu²⁺) by sunflower (*Helianthus annuus* L.). IOP Conference Series: Earth and Environmental Science, 106. doi: 10.1088/1755-1315/106/1/012120
- 22. Maria Celeste, D., Cristina, M., José, M.-P., Carlos, C., Berta, G., & Conceição, S. (2013). Cadmium toxicity affects photosynthesis and plant growth at different levels. Acta Physiologiae Plantarum, 35, 1281–1289. doi: 10.1007/s11738-012-1167-8
- 23. Prerna, S., Indra, S. & Kavita, S. (2020). Alterations in antioxidative machinery and growth parameters upon application of nitric oxide donor that reduces detrimental effects of cadmium in rice seedlings with increasing days of growth. South African Journal of Botany, 131(C),283–294. doi: 10.1016/j.sajb.2020.02.022
- 24. Reyes-Hinojosa, D., Lozada-Pérez, C. A., Zamudio Cuevas, Y., López-Reyes, A., Martínez-Nava, G., Fernández-Torres, J., Olivos-Meza, A., L&a-Solis, C., Gutiérrez-Ruiz, M. C., Rojas Del Castillo, E., & Martínez-Flores, K. (2019). Toxicity of cadmium in musculoskeletal diseases. Environ Toxicol Pharmacol, 72, 103219. doi: 10.1016/j.etap.2019.103219
- 25. Robert, M., & Stengel, P. (1999). Soils and agriculture: soil resource, quality and degradation processes. A world, European and French prospect. Cahiers Detudes Et De Recherches Francophones Agricultures, 8, 301–308.
- 26. Silveira, R. I. F. Í. H., Jos, L., Arajo, P. F. í., & Ferracci, A. L. S. R. (2021). Photosynthetic Parameters and Growth of Rice, Lettuce, Sunflower and Tomato in an Entisol as Affected by Soil Acidity and Bioaccumulation of Ba, Cd, Cu, Ni, and Zn. Archives of environmental contamination and toxicology. doi: 10.1007/s00244-021-00850-2
- 27. Singh, A., & Prasad, S. M. (2014). Effect of agro-industrial waste amendment on Cd uptake in Amaranthus caudatus grown under contaminated soil: an oxidative biomarker response. Ecotoxicol Environ Saf, 100, 105–113. doi: 10.1016/j. ecoenv.2013.09.005.
- 28. Templeton, D. M., & Liu, Y. (2010). Multiple roles of cadmium in cell death and survival. Chem Biol Interact, 188, 267–275. doi: 10.1016/j.cbi.2010.03.040
- 29. Zaichick, V. & Zaichick, S. (2014). Relations of the Al, B, Ba, Br, Ca, Cl, Cu, Fe, K, Li, Mg, Mn, Na, P, S, Si, Sr, and Zn mass fractions to morphometric parameters in pediatric and nonhyperplastic young adult prostate glands. Biometals: an international journal on the role of metal ions in biology, biochemistry, and medicine, 27(2), 333–348. doi: 10.1007/s10534-014-9716-9
- 30. Wang, C., Zhang, Y., Liu, Y., Xu, H., Zhang, T., Hu, Z., Lou, L., & Cai, Q. (2020). Ectopic expression of wheat aquaglyceroporin TaNIP2;1 alters arsenic accumulation and tolerance in Arabidopsis thaliana. Ecotoxicology and Environmental Safety, 205, 111131. doi: 10.1016/j.ecoenv.2020.111131
- 31. Wu, Z., Zhao, X., Sun, X., Tan, Q., Tang, Y., Nie, Z., Qu, C., Chen, Z., & Hu, C. (2015). Antioxidant enzyme systems and the ascorbate-glutathione cycle as contributing factors to cadmium accumulation and tolerance in two oilseed rape cultivars (Brassica napus L.) under moderate cadmium stress. Chemosphere, 138, 526–36. doi: 10.1016/j.chemosphere.2015.06.080
- 32. Yan, Y., Sun, Q., Yang, J., Zhang, X., & Guo, B. (2021). Source attributions of Cadmium contamination in rice grains by Cadmium isotope composition analysis: A field study. Ecotoxicol Environ Saf, 210, 111865. doi: 10.1016/j. ecoenv.2020.111865.
- 33. Zaichick, V., Zaichick, S., Karandashev, V., & Nosenko, S. (2009). The Effect of Age and Gender on Al, B, Ba, Ca, Cu, Fe, K, Li, Mg, Mn, Na, P, S, Sr, V, and Zn Contents in Rib Bone of Healthy Humans. Biological Trace Element Research, 129(1–3),107–115. doi: 10.1007/s12011-008-8302-9.
- 34. Zhou, J., Chen, L. H., Peng, L., Luo, S., & Zeng, Q. R. (2020). Phytoremediation of heavy metals under an oil crop rotation and treatment of biochar from contaminated biomass for safe use. Chemosphere, 247, 125856. doi: 10.1016/j. chemosphere.2020.125856
- 35. Marguí, E., Queralt, I. & Hidalgo, M (2009). Application of X-ray fluorescence spectrometry to determination and quantitation of metals in vegetal material. TrAC Trends in Analytical Chemistry, 28(3), 362–372. doi: 0.1016/j.trac.2008.11.011

Фу Юаньжі, аспірант, Сумський національний аграрний університет, м. Суми, Україна; Науково-Технологічний інститут, м. Хенань, КНР

Троценко Володимир Іванович, доктор сільськогосподарських наук, професор, Сумський національний аграрний університет, м. Суми, Україна

Накопичення важких металів у проростках соняшнику під впливом кадмієвого стесу

Стійкою тенденцією останніх десятиліть є стрімке зростання забруднення грунту важкими металами. Особливу небезпеку становлять метали, які не відіграють суттєвої ролі у житті рослин, але можуть накопичуватися у рослинах та мігрувати харчовим ланцюгом. Одним із таких елементів є кадмій, період напіввиведення якого з організму людини складає більше 50 років.

Для селекційних програм, спрямованих на створення сортів із низьким рівнем накопичення кадмію, важливим є розуміння ролі генотипу в процесах надходження металу до різних частин рослин. Дослідження проводились на селекційних зразках соняшнику, виділених за методикою вегетаційного оцінювання в Сумському НАУ в 2018 році. За результатами оцінювання лінія 62\3 характеризувалася низьким, а лінія JB231AC — високим рівнем стійкості до накопичення кадмію. У 2020 році насіння зразків було пересіяно в умовах Науково-технологічного інституту м. Хенань. Досліджували 20-денні проростки соняшнику, що вегетували у пластикових контейнерах з розчином Хогланда. Із рівномірно розвинених рослин було сформовано 4 вибірки, які протягом 7 днів знаходились у розчині СdCl₂ • 2,5 H₂0 з концентрацією 0; 25; 50 та 100 мкМ. Для аналізу зразки розчиняли у нітратній кислоті. Визначення вмісту металів проводили на атомно-адсорбційному спектрофотометрі (ICP-OES, Optima 2100DV, Perkin Elmer).

В обох зразків було відмічено стійкий тренд до зменшення висоти рослин та загальної маси проростків із збільшенням концентрації кадмію. Різниця між зразками за згаданими показниками нівелювалася при концентрації 50 і більше мкМ. У випадку із висушеними частинами рослин статистично суттєвий вплив кадмію виявлено при концентрації 50 і більше мкМ для показника маси сухої речовини коренів та при концентрації 100 мкМ для показника маси надземної частини.

Встановлено, що пороговою концентрацією, яка забезпечувала суттєву різниці між показниками вмісту кадмію в коренях та стеблах, було 100 мкМ. Порівняно із зразком JB231AC, зразок 64\2 мав вищий вміст кадмію у коренях на 23 % та на 12 % у надземній частині. Відносно Li, Ni, та Sr суттєва різниця між зразками здебільшого спостерігалася за концентрації 25 та 50 мкМ.

Накопичення і розподіл кадмію в рослинах мають значний зв'язок з видами, сортами, частинами та середовищем вирощування і в кінцевому підсумку призводять до різного накопичення та розподілу в різних частинах рослин. Встановлено зворотну залежність між концентрацією кадмію та концентраціями літію та нікелю, що може бути зумовлено генотипними особливостями, але не виключається наявність антагонізму між накопиченням цих металів. Однак таке твердження потребує додаткових досліджень.

Загалом дослідження підтвердили достатній рівень ефективності вегетативної оцінки вихідного матеріалу соняшнику на стійкість до накопичення кадмію та стабільність цієї ознаки в наступних поколіннях.

Ключові слова: соняшник, проростки, концентрація Сd, важкі метали, мікроелементи, накопичення, ріст.